Sample Kit Contents

Part Number	Size	TC	Capacitance	Voltage	Tolerance	Quantity
CS0402KRX7R8BB104	0402	X7R	100nF	25V	±10%	80
CS0402KRX7R9BB473	0402	X7R	47nF	50V	±10%	80
CS0603KRX7R7BB105	0603	X7R	1uF	16V	±10%	40
CS0603KRX7R8BB154	0603	X7R	150nF	25V	±10%	40
CS0603KRX7R8BB224	0603	X7R	220nF	25V	±10%	40
CS0603KRX7R8BB474	0603	X7R	470nF	25V	±10%	40
CS0603KRX7R9BB101	0603	X7R	100pF	50V	±10%	40
CS0603KRX7R9BB221	0603	X7R	220pF	50V	±10%	40
CS0603KRX7R9BB471	0603	X7R	470pF	50V	±10%	40
CS0603KRX7R9BB102	0603	X7R	1nF	50V	±10%	40
CS0603KRX7R9BB222	0603	X7R	2.2nF	50V	±10%	40
CS0603KRX7R9BB332	0603	X7R	3.3nF	50V	±10%	40
CS0603KRX7R9BB472	0603	X7R	4.7nF	50V	±10%	40
CS0603KRX7R9BB103	0603	X7R	10nF	50V	±10%	40
CS0603KRX7R9BB223	0603	X7R	22nF	50V	±10%	40
CS0603KRX7R9BB333	0603	X7R	33nF	50V	±10%	40
CS0603KRX7R9BB473	0603	X7R	47nF	50V	±10%	40
CS0603KRX7R9BB104	0603	X7R	100nF	50V	±10%	40
CS0603KRX7R0BB104	0603	X7R	100nF	100V	±10%	40
CS0603KRX7RYBB222	0603	X7R	2.2nF	250V	±10%	40
CS0805KKX7R7BB225	0805	X7R	2.2uF	16V	±10%	40
CS0805KKX7R8BB105	0805	X7R	1uF	25V	±10%	40
CS0805KRX7R9BB102	0805	X7R	1nF	50V	±10%	40
CS0805KRX7R9BB222	0805	X7R	2.2nF	50V	±10%	40
CS0805KRX7R9BB103	0805	X7R	10nF	50V	±10%	40
CS0805KRX7R9BB104	0805	X7R	100nF	50V	±10%	40
Part Number	**Size**	**TC**	**Capacitance**	**Voltage**	**Tolerance**	**Quantity**


Sample Kit Contents cont.

Part Number	Size	TC	Capacitance	Voltage	Tolerance	Quantity
CS0805KKX7R9BB474	0805	X7R	470nF	50V	±10%	40
CS0805KRX7RYBB222	0805	X7R	2.2nF	250V	±10%	40
CS0805KKX7RBBB223	0805	X7R	22nF	500V	±10%	40
CS0805KKX7RZBB103	0805	X7R	10nF	630V	±10%	40
CS0805KRX7RCBB102	0805	X7R	1nF	1KV	±10%	40
CS1206KRX7R8BB224	1206	X7R	220nF	25V	±10%	40
CS1206KRX7R9BB102	1206	X7R	1nF	50V	±10%	40
CS1206KRX7R9BB103	1206	X7R	10nF	50V	±10%	40
CS1206KRX7R9BB104	1206	X7R	100nF	50V	±10%	40
CS1206KKX7R9BB334	1206	X7R	330nF	50V	±10%	40
CS1206KRX7R0BB332	1206	X7R	3.3nF	100V	±10%	40
CS1206KRX7R0BB472	1206	X7R	4.7nF	100V	±10%	40
CS1206KKX7RZBB471	1206	X7R	470pF	630V	±10%	40
CS1206KKX7RZBB102	1206	X7R	1nF	630V	±10%	40
CS1206KKX7RZBB222	1206	X7R	2.2nF	630V	±10%	40
CS1206KKX7RZBB332	1206	X7R	3.3nF	630V	±10%	40
CS1206KKX7RZBB472	1206	X7R	4.7nF	630V	±10%	40
CS1206KKX7RZBB103	1206	X7R	10nF	630V	±10%	40
CS1206KKX7RZBB333	1206	X7R	33nF	630V	±10%	40
CS1206KKX7RCBB221	1206	X7R	220pF	1KV	±10%	40
CS1206KKX7RCBB471	1206	X7R	470pF	1KV	±10%	40
CS1206KKX7RCBB102	1206	X7R	1nF	1KV	±10%	40
CS1206KKX7RCBB472	1206	X7R	4.7nF	1KV	±10%	40
CS1206KKX7RCBB103	1206	X7R	10nF	1KV	±10%	40
Part Number	**Size**	**TC**	**Capacitance**	**Voltage**	**Tolerance**	**Quantity**

Scope

This product specification is applied to Multi-layer Ceramic Capacitor used for Automotive application .





Revision History

Revision	Date	Change notification	Description
Version 0	Nov, 02, 2026	-	- New datasheet, Engineering Kit for CS88880000000SB000 Soft-termination series.